

Package: kNNvs (via r-universe)

August 26, 2024

Type Package

Date 2021-05-11

Title k Nearest Neighbors with Grid Search Variable Selection

Version 0.1.0

Maintainer Eddie Pei <ep2667@rit.edu>

Description k Nearest Neighbors with variable selection, combine grid search and forward selection to achieve variable selection in order to improve k Nearest Neighbors predictive performance.

License GPL-3

Encoding UTF-8

RoxygenNote 7.1.1

NeedsCompilation no

Author Eddie Pei [aut, cre], Ernest Fokoue [aut]

Date/Publication 2021-05-12 12:10:05 UTC

Repository <https://eddie0118.r-universe.dev>

RemoteUrl <https://github.com/cran/kNNvs>

RemoteRef HEAD

RemoteSha d0c977c089bac1ce88be28576f839575a3913253

Contents

kNNvs	2
Index	4

kNNvs

k Nearest Neighbors with Grid Search Variable Selection

Description

k Nearest Neighbors with Grid Search Variable Selection

Usage

```
kNNvs(
  train_x,
  test_x,
  cl_train,
  cl_test,
  k,
  model = c("regression", "classification")
)
```

Arguments

train_x	matrix or data frame of training set
test_x	matrix or data frame of test set
cl_train	factor of true classifications of training set
cl_test	factor of true classifications of test set
k	the number of neighbors
model	regression or classification

Details

kNNvs is simply use add one and then compare acc to pick the best variable set for the knn model

Value

ACC or MSE, best variable combination, estimate value yhat

Examples

```
{
  data(iris3)
  train_x <- rbind(iris3[1:25,,1], iris3[1:25,,2], iris3[1:25,,3])
  test_x <- rbind(iris3[26:50,,1], iris3[26:50,,2], iris3[26:50,,3])
  cl_train<- cl_test<- factor(c(rep("s",25), rep("c",25), rep("v",25)))
  k<- 5
  # cl_test is not null
  mymodel<-kNNvs(train_x,test_x,cl_train,cl_test,k,model="classification")
  mymodel
  # cl_test is null
}
```

```
mymodel<-kNNvs(train_x,test_x,cl_train,cl_test=NULL,k,model="classification")  
mymodel  
}
```

Index

kNNvs, [2](#)